



## OC-Light<sup>®</sup> Test Strips

<b>Section 1 Identification</b>	
Product name	OC-Light <sup>®</sup> Test Strips
Catalog number	FOBSTR, FOBSTR-CH, VPPC51, VSPC51
Recommended use	Test strips for use in detection of fecal occult blood in feces
Manufactured for	Polymedco Cancer Diagnostic Products, LLC. 510 Furnace Dock Road Cortlandt Manor, NY 10567 <a href="http://www.polymedco.com">www.polymedco.com</a>
Emergency number	(800) 431-2123 or (914) 739-5400

<b>Section 2 Hazards Identification</b>	
Hazard classification	Does not present any particular physical, health, or environmental hazard
Signal word	Not applicable
Pictogram	Not applicable
Hazard statements	Not applicable
Precautionary statements	Not applicable
Any hazards not otherwise classified	Not applicable

<b>Section 3 Composition and Information on Ingredients</b>	
Chemical characterization	Contains no hazardous ingredients
Chemical name	Latex suspension. Does not contain natural latex.
Synonyms	Latex beads, polystyrene
CAS number	Not applicable
Concentration	Not applicable

<b>Section 4 First Aid Measures</b>	
IF IN EYES:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice / attention.
IF ON SKIN:	Wash with plenty of soap and water. If skin irritation occurs: Get medical advice / attention.
IF SWALLOWED:	Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor / physician if you feel unwell.
IF INHALED:	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor / physician.

<b>Section 5 Fire-Fighting Measures</b>	
Flash point	Not applicable
Flammable limits	Not applicable
Auto-ignition temperature	Not applicable
Extinguishing media	Use extinguishing media suitable for surrounding fire
Special fire and explosion hazards	No special hazards determined
Hazardous combustion products	No special hazards determined
Protective equipment for firefighters	Self-contained breathing apparatus is recommended for firefighters



**OC-Light® Test Strips**

<b>Section 6 Accident Release Measures</b>	
Personal precautions	Wear protective clothing, gloves, and eye protection.
Emergency procedures	No special emergency procedures necessary.
Containment procedures	No special procedures necessary.
Cleanup procedures	No special procedures necessary.

<b>Section 7 Handling and Storage</b>	
Handling and storage	Avoid inhaling, swallowing, and contact with eyes and skin.
Recommended storage conditions	2 - 30°C
Incompatibilities	Not determined

<b>Section 8 Exposure Controls and Personal Protection</b>	
Exposure limits:	
OSHA	Not determined
ACGIH	Not determined
Engineering controls	Normal room ventilation
Respiratory protection	Normal room ventilation
Eye protection	Safety glasses should be worn to prevent eye contact.
Skin protection	Appropriate gloves and clothing should be worn to prevent skin contact.

<b>Section 9 Physical and Chemical Properties</b>	
Appearance	Lateral flow device with nitrocellulose membrane
Odor	Odorless
Odor threshold	Not determined
pH	Not applicable
Melting point / Freezing point	Not applicable
Initial boiling point and boiling range	Not applicable
Flash point	Not determined
Evaporation rate	Not applicable
Flammability (solid, gas)	Not determined
Upper/lower flammability or explosive limits	Not determined
Vapor pressure	Not applicable
Vapor density	Not applicable
Relative density	Not applicable
Solubility	Not applicable
Partition coefficient	Not determined
Auto-ignition temperature	Not applicable
Decomposition temperature	Not determined
Viscosity	Not applicable



**OC-Light® Test Strips**

<b>Section 10 Stability and Reactivity</b>	
Stability	Stable under normal ambient temperature and pressure.
Stabilizers needed	Not applicable
Safety issues with change in physical appearance	Not determined
Hazardous reactions	Not determined
Hazardous polymerization	Will not polymerize
Incompatibilities	Not determined
Hazard decomposition products	Not determined
Conditions to avoid	Not determined

<b>Section 11 Toxicological Information</b>	
Information on likely routes and effects of exposure (short term / long term effects):	
Inhalation	None identified
Ingestion	None identified
Skin contact	None identified
Eye contact	None identified
Toxicity (LD50/LC50)	Not available
Sensitization	Not available
Carcinogenicity	Not available
Reproductive Toxicity	Not available
Teratogenicity	Not available
Mutagenicity	Not available

<b>Section 12 Ecological Information</b>	
Ecotoxicity	Not determined
Persistence / degradability	Not determined
Bioaccumulation potential	Not determined
Mobility in soil (Adsorption / leaching)	Not determined
Environmental fate	Not determined
Ozone layer depletion potential	Not determined
Photochemical ozone creation potential	Not determined
Endocrine disrupting potential	Not determined
Global warming potential	Not determined

<b>Section 13 Disposal Considerations</b>	
Disposal containers	Leak-proof container
Disposal methods	Dispose in compliance with federal, state and local regulations. If unsure of the applicable requirements, contact the authorities for information.
Properties that may affect disposal	Not applicable
Sewage disposal	Do not dispose of product into drains or sewers
Precautions for landfills or incineration	Not applicable



**OC-Light® Test Strips**

<b>Section 14 Transport Information</b>	
UN Number	Not regulated
UN proper shipping name	Not regulated
Transport hazard class	Not regulated
Packing group	Not regulated
Environmental hazards	None identified
Guidance on transport in bulk	No special requirements
Special precautions on transport	None identified

<b>Section 15 Regulatory Information</b>	
OSHA	This product does not meet the definition of a hazardous material under 29 CFR 1910.2000
TSCA	Not listed
SARA	
302	Not applicable
311/312	No hazards
313	Below threshold reporting levels
CA Prop 65	Not listed
Canada DSL/NDSL	Not listed
WHMIS Class	Not applicable
The above information is not intended to be a comprehensive listing of regulations pertinent to the product, and the regulations listed are subject to change. The user is responsible for observing all applicable local, state, and national/federal regulations in handling of the product.	

<b>Section 16 Other Information</b>			
NFPA Ratings:		HMIS Ratings:	
Health	0	Health	0
Flammability	0	Flammability	0
Reactivity	0	Reactivity	0
Physical Hazards		Protective Equipment	B
Date of preparation	23 September 2014		
Last revision date	26 February 2015		
The information in this SDS is believed to be accurate and complete at the time of revision. No warranty, express or implied, is made, and Polymedco assumes no legal responsibility or liability from its use. The user of our products is responsible for observing any applicable laws and guidelines.			